

SBD1

INVITATION TO BID

| YOU ARE HEREBY INVITED TO TAMBO REGION | BID FOR REQUIREME | ENTS OF ELECTRI | CAL WO | RKS AT BEDFOR | RD ORTH | IOPEDIC HOS | SPITAL IN O.R. |
|--|--|-----------------|-----------|----------------------------|---------|-------------|-----------------|
| BID NUMBER: SCMU3-P22/2 | | CLOSING DATE: | | cember 2022 | | NG TIME: | 11:00 |
| DESCRIPTION FEMALE WARDS, ORTHOTICS AND PHYSIOTHERAPY BLOCKS) | | | | | | | |
| BID RESPONSE DOCUMENTS | BID RESPONSE DOCUMENTS MUST BE DEPOSITED IN THE BID BOX SITUATED AT (STREET ADDRESS) | | | | | | |
| Nelson Mandela Academic Hos | pital | | | | | | |
| Supply Chain Management Uni | t LEVEL 2 | | | | | | |
| Mthatha | | | | | | | |
| BIDDING PROCEDURE ENQUIR | RIES MAY BE DIRECTE | D TO | TECHN | ICAL ENQUIRIES | MAY BI | E DIRECTED | то |
| CONTACT PERSON | Ms Nobuntu Mfeng | juza | CONTA | CT PERSON | | | |
| TELEPHONE NUMBER | 047 502 4518 | | TELEPI | HONE NUMBER | | | |
| E-MAIL ADDRESS | indiphile.quluba@ | echealth.gov.za | E-MAIL | ADDRESS | | | |
| SUPPLIER INFORMATION | | | | | | | |
| NAME OF BIDDER | | | | | | | |
| POSTAL ADDRESS | | | | | | | |
| STREET ADDRESS | | T | | | | | |
| TELEPHONE NUMBER | CODE | | NUMB | ER | | | |
| CELLPHONE NUMBER | | | T | | | | |
| FACSIMILE NUMBER | CODE | | NUMB | ER | | | |
| E-MAIL ADDRESS | | | | | | | |
| VAT REGISTRATION NUMBER | TAY COMPLIANCE | Γ | 1 | Locuston out | ouen I | | |
| SUPPLIER COMPLIANCE STATUS | TAX COMPLIANCE SYSTEM PIN: | | OR | CENTRAL SUP DATABASE No | | MAAA | |
| B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE | TICK APPLICA | ABLE BOX] | LEVEL | STATUS SWORN | | [TICK APPL | ICABLE BOX] |
| | ☐ Yes | □No | AFFIDA | WII | | Yes | ☐ No |
| [A B-BBEE STATUS LEVEL VE QUALIFY FOR PREFERENCE F | | ATE/ SWORN AFF | IDAVIT (I | FOR EMES & QSI | Es) MUS | T BE SUBMIT | TED IN ORDER TO |
| ARE YOU THE ACCREDITED | | | ARE YO | DU A FOREIGN | | | |
| REPRESENTATIVE IN SOUTH | | □N- | | SUPPLIER IE GOODS | □Yes | □No | |
| AFRICA FOR THE GOODS /SERVICES /WORKS | Yes | □No | /SERVI | CES/WORKS | IIF YES | S. ANSWER T | HE QUESTIONAIRE |
| OFFERED? | [IF YES ENCLOSE PI | ROOF] | OFFER | ED? | BELOV | | |
| QUESTIONNAIRE TO BIDDING | FOREIGN SUPPLIERS | | | | | | |
| IS THE ENTITY A RESIDENT OF | THE REPUBLIC OF S | OUTH AFRICA (RS | SA)? | | | | ES NO |
| DOES THE ENTITY HAVE A BRANCH IN THE RSA? | | | | | ES NO | | |
| DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA? ☐ YES ☐ NO | | | | | | ES NO | |
| DOES THE ENTITY HAVE ANY | SOURCE OF INCOME | IN THE RSA? | | | | | ES NO |
| IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION? IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 BELOW. | | | | | | | |

PART B

TERMS AND CONDITIONS FOR BIDDING

1. BID SUBMISSION:

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED— (NOT TO BE RE-TYPED) OR IN THE MANNER PRESCRIBED IN THE BID DOCUMENT.
- 1.3. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
- 1.4. THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7).

2. TAX COMPLIANCE REQUIREMENTS

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
- 2.7 NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

| NB: FAILURE TO PI | ROVIDE / OR COMPL | Y WITH ANY OF 1 | THE ABOVE PAR | TICULARS MAY F | RENDER THE BID |
|-------------------|-------------------|-----------------|---------------|----------------|----------------|
| INVALID. | | | | | |

| SIGNATURE OF BIDDER: | |
|---|--|
| CAPACITY UNDER WHICH THIS BID IS SIGNED: (Proof of authority must be submitted e.g. company resolution) | |
| DATE: | |

Table of contents

- **1.** Invitation to Bid (SBD 1)
- 2. Bid Conditions
- 3. Evaluation Criteria
- 4. Pre Qualification/ Administrative Compliance
- **5.** Mandatory Requirements for Interested Bidders (Non-Negotiable)
- Annexure A BBBEE Certificate/Affidavit
- Annexure B CIDB Certificate
- Annexure C Electrical Installation Certificate for Electrician (from department of labour)
- Annexure D ECDOH Panel of Contractors (SCMU3- 20/21-0303-HO) appointment letter
- **6.** SBD 4
- **7.** SBD 6.1
- 8. Sworn Affidavit
- **9.** Bid Specifications
- **9.1** Scope of Work
- 9.2 Female Ward : Electrical Installation9.3 Male Ward : Electrical Installation9.4 Orthotics Block : Electrical Installation
- **9.5** Physiotherapy Block: Electrical Installation
- 10. Bill of Quantities
- **11.** Final Summary
- 12. Form of Offer and Acceptance

2. Bid Conditions

- 2.1 Without limitation to any other rights of the Eastern Cape Department of Health (ECDoH) (whether otherwise reserved in this invitation to bid or under law), the ECDoH expressly reserves the right to:-
- 2.2 Request clarification on any aspect of a response to this invitation to bid received from the bidder, such requests and the responses to be in writing;
- 2.3 Amend the bidding process, including the timetables, closing date and any other date at its sole discretion;
- 2.4 Reject all responses submitted by bidders and to embark on a new bid process.
- 2.5 Award the bid to one or more than one bidder/s.

3. Evaluation Criteria

3.1 The bid will be evaluated in terms of the 80/20 point system as stipulated in terms of the Preferential Procurement Regulations, 2017. 80 points will be allocated for price and 20 points for attaining the B-BBEE status level of contributor.

$$Ps = 80 \left(1 - \frac{Pt - P\min}{P\min} \right)$$

Where

Ps = points scored for comparative price of bid or offer under consideration.

Pt =Comparative price of bid or offer under consideration.

Pmin = comparative price of lowest acceptable bid or offer.

REQUEST FOR QUOTATIONS

Bid Number: SCMU3 -P22/23-0625-NMA

QUOTATIONS ARE HEREBY INVITED FROM INTERESTED SERVICE PROVIDERS TO SUPPLY NESLSON MADELA ACADEMIC HOSPITAL WITH THE FOLLLOWING ITEMS/SERVICES:

• PROVISION OF ELECTRICAL SERVICES: BEDFORD ORTHOPAEDIC HOSPITAL (MALE AND FEMALE WARDS, ORTHOTICS AND PHYSIOTHERAPY BLOCKS)

COMPANIES SHOULD TAKE NOTE OF THE FOLLOWING:

Submit CSD Registration Report and B-BBEE Certificate if the status level of contribution is not mentioned on the CSD Registration Report.

The bid will be evaluated in terms of the 80/20 point system as stipulated in the Revised Preferential Procurement Regulations, 2011. 80 points will be allocated for price and 20 points for attaining the B-BBEE status level of contributor.

NB: Bidders are required together with their bids submit original and valid B-BBEE status level verification certificates or certified copies to substantiate their B-BBEE rating claims.

A bid will not be disqualified from the bidding process if the bidder does not submit a certificate substantiating the B-BBEE status level of contribution or is a non-compliant contributor. Such a bidder will score 0 out of maximum of 20 points for B-BBEE

| B-BBEE Status Level of Contributor | Number of points (80/20 system) |
|---------------------------------------|---------------------------------|
| 1 | 20 |
| 2 | 18 |
| 3 | 16 |
| | |

| 4 | 12 |
|---------------------------|----|
| 5 | 8 |
| 6 | 6 |
| 7 | 4 |
| 8 | 2 |
| Non-compliant contributor | 0 |

CLOSING: 30 November 2022 @11h00

| All responses must be deposited in the Tender Box, Level 2, Nelson Mandela Academic Hospital, and |
|---|
| Mthatha, OR E-MAILED TO acquisitions-nmah@echealth.gov.za. All proposals / quotations must |
| be submitted in clearly marked sealed envelope (with Bid Number, Service, Name of Supplier and |
| address) NB: PLEASE BIND/STAPLE THE DOCUMENT TO PREVENT LOSS OF YOUR COPIES OR |
| PAGES. |

| MS H.N. MFENGUZA | DATE |
|----------------------------------|------|
| HEAD: SUPPLY CHAIN MANAGEMENT | |
| NELSON MANDELA ACADEMIC HOSPITAL | |

NB: Bidders are required to, together with their bids submit original and valid B-BBEE status level verification certificates issued by SANAS accredited agent or certified copies or Sworn Affidavit in the case of Emerging Micro Enterprise (EME) and Qualifying Small Enterprise (QSE) to substantiate their B-BBEE rating claims.

A bid will not be disqualified from the bidding process if the bidder does not submit a certificate substantiating the B-BBEE status level of contribution or is a non-compliant contributor. Such a bidder will score 0 out of maximum of 20 points for B-BBEE

| B-BBEE Status Level of Contributor | Number of points (80/20 system) |
|---------------------------------------|---------------------------------|
| 1 | 20 |
| 2 | 18 |
| 3 | 14 |
| 4 | 12 |
| 5 | 8 |
| 6 | 6 |
| 7 | 4 |
| 8 | 2 |
| Non-compliant contributor | 0 |

4. Pre – Qualification/ Administrative Compliance

The following criteria shall apply:

- a. All documentation inclusive of supporting documentation requested in terms of the Bid Document requirements must be submitted and signed off where required
- b. Bidder must complete and sign SBD 1, 4, and the entire document.
- c. Service Provider must be appointed in the ECDOH Panel of Contractors (SCMU3- 20/21-0303-HO) and attach appointment letter
- d. The duration period is estimated to the maximum of **three** months from the date of site handover including installation and commissioning. Service Provider to provide a program for the works on appointment.
- e. Submission of the Health and Safety Plan as per the attached Health and Safety Specification.

5. Mandatory Requirements for Interested Bidders (Non-Negotiable)

- a. It is estimated that tenderers must have a CIDB contractor grading designation of Grade 1EB or higher.
- b. Contractor to provide an individual registered as an electrician with the department of labour for issuance of the Certificate of Compliance.

FAILURE TO COMPLY WITH THE ABOVE INFORMATION WILL INVALIDATE YOUR BID

5.1 MANDATORY RETURNABLE DOCUMENTS

| BBBEE Certificate/Affidavit | Annexure A |
|--|------------|
| CIDB Certificate | Annexure B |
| Electrical Installation Certificate for an Electrician (from department of labour) | Annexure C |
| ECDOH Panel of Contractors (SCMU3-20/21-0303-HO) appointment letter | Annexure D |

ANNEXURE A

ANNEXURE B

CIDB Certificate - Attach here



ANNEXURE D ECDOH Panel of Contractors (SCMU3- 20/21-0303-HO) appointment letter – Attach here

6. SBD 4 BIDDER'S DISCLOSURE 1. Purpose of the form Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South

Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

| ~ | D: | - | | 1 | 7 — | _ | | ı_ | | -: | | _ |
|---|----|---|---|-----|------------|---|----|----|----|----|----|---|
| , | к | п | a | JL. | • | п | ec | ıa | ra | TI | ΛI | 1 |
| | | | | | | | | | | | | |

- 2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest1 in the enterprise, employed by the state?

 YES/NO
- 2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

| Full Name | Identity Number | Name of State institution |
|-----------|-----------------|---------------------------|
| | | |
| | | |
| | | |
| | | |

| 2.2 | Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution? YES/NO |
|-------|---|
| 2.2.1 | If so, furnish particulars: |
| 2.3 | Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract? YES/NO |
| 2.3.1 | If so, furnish particulars: |

¹ the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

.....

3 DECLARATION

I, the undersigned, (name)...... in submitting the accompanying bid, do hereby make the following statements that I certify to be true and complete in every respect:

- 3.1 I have read and I understand the contents of this disclosure;
- 3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium2 will not be construed as collusive bidding.
- 3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.5 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- 3.6 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

² Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

| Signature | Date |
|-----------|----------------|
| Position | Name of bidder |

SBD 6.1

This preference form must form part of all bids invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution

NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.

1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to all bids:
 - THE 80/20 SYSTEM FOR REQUIREMENTS WITH A RAND VALUE OF UP TO R50 000 000 (ALL APPLICABLE TAXES INCLUDED); AND
 - THE 90/10 SYSTEM FOR REQUIREMENTS WITH A RAND VALUE ABOVE R50 000 000 (ALL APPLICABLE TAXES INCLUDED).
- 1.2
- a) The value of this bid is estimated not to exceed R500 000 (all applicable taxes included) and therefore the 80/20 Preference point system shall be applicable; or
- b) The 80/20 preference point system will be applicable to this tender (*delete whichever is not applicable for this tender*).
- 1.3 Points for this bid shall be awarded for:
 - (a) Price; and
 - (b) B-BBEE Status Level of Contributor.
- 1.4 The maximum points for this bid are allocated as follows:

| | POINTS |
|---|--------|
| PRICE | 80 |
| B-BBEE STATUS LEVEL OF CONTRIBUTOR | 20 |
| Total points for Price and B-BBEE must not exceed | 100 |

- 1.5 Failure on the part of a bidder to submit proof of B-BBEE Status level of contributor together with the bid, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.
- 1.6 The purchaser reserves the right to require of a bidder, either before a bid is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.

2. **DEFINITIONS**

- (a) **"B-BBEE"** means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- (b) "B-BBEE status level of contributor" means the B-BBEE status of an entity in terms of a code of good practice on black economic empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- (c) "bid" means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of goods or services, through price quotations, advertised competitive bidding processes or proposals;
- (d) "Broad-Based Black Economic Empowerment Act" means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- **(e) "EME"** means an Exempted Micro Enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (f) **"functionality"** means the ability of a tenderer to provide goods or services in accordance with specifications as set out in the tender documents.
- (g) "prices" includes all applicable taxes less all unconditional discounts;
- (h) "proof of B-BBEE status level of contributor" means:
 - 1) B-BBEE Status level certificate issued by an authorized body or person;
 - 2) A sworn affidavit as prescribed by the B-BBEE Codes of Good Practice;
 - 3) Any other requirement prescribed in terms of the B-BBEE Act;
- "QSE" means a qualifying small business enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (j) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;

3. POINTS AWARDED FOR PRICE

3.1 THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis: **80/20**

$$Ps = 80 \left(1 - \frac{Pt - P\min}{P\min} \right)$$

Where

Ps = Points scored for price of bid under consideration

Pt = Price of bid under consideration

Pmin = Price of lowest acceptable bid

4. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTOR

4.1 In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

| B-BBEE Status Level of Contributor | Number of points (80/20 system) |
|---------------------------------------|------------------------------------|
| 1 | 20 |
| 2 | 18 |
| 3 | 14 |
| 4 | 12 |
| 5 | 8 |
| 6 | 6 |
| 7 | 4 |
| 8 | 2 |
| Non-compliant contributor | 0 |

| _ | DID | | | TTABL |
|----|------|------|-----|--------------|
| _ | KII) | DECL | лил | 11111 |
| J. | | | | |

5.1 Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following:

| 6. | B-BBEE STATUS LEVEL OF CONTRIBUTOR CLAIMED IN TERMS OF |
|----|--|
| | PARAGRAPHS 1.4 AND 4.1 |

| 6.1 | B-BBEE Status Level of Contributor: | = | (maximum of 10 or 20 |
|-----|-------------------------------------|---|----------------------|
| | points) | | |

(Points claimed in respect of paragraph 7.1 must be in accordance with the table reflected in paragraph 4.1 and must be substantiated by relevant proof of B-BBEE status level of contributor.

7. SUB-CONTRACTING

7.1 Will any portion of the contract be sub-contracted?

(Tick applicable box)

| YES | NO | |
|-----|----|--|

- 7.1.1 If yes, indicate:
 - i) What percentage of the contract will be subcontracted.....%
 - ii) The name of the sub-contractor......
 - iii) The B-BBEE status level of the subcontractor.....
 - iv) Whether the sub-contractor is an EME or QSE

(Tick applicable box)
YES NO

v) Specify, by ticking the appropriate box, if subcontracting with an enterprise in terms of Preferential Procurement Regulations,2017:

| Designated Group: An EME or QSE which is at last 51% | EME | QSE |
|---|-----|-----|
| owned by: | √ | √ |
| Black people | | |
| Black people who are youth | | |
| Black people who are women | | |
| Black people with disabilities | | |
| Black people living in rural or underdeveloped areas or townships | | |
| Cooperative owned by black people | | |
| Black people who are military veterans | | |
| OR | | |
| Any EME | | |
| Any QSE | | |

| 8. | DECLARATION WITH REGARD TO COMPANY/FIRM | | | |
|-----|--|--|--|--|
| 8.1 | Name of company/firm: | | | |
| 8.2 | VAT registration number: | | | |
| 8.3 | Company registration number: | | | |
| 8.4 | TYPE OF COMPANY/ FIRM | | | |
| | □ Partnership/Joint Venture / Consortium □ One-person business/sole propriety □ Close corporation □ Company □ (Pty) Limited [TICK APPLICABLE BOX] | | | |
| 8.5 | DESCRIBE PRINCIPAL BUSINESS ACTIVITIES | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| 8.6 | COMPANY CLASSIFICATION | | | |
| | Manufacturer Supplier Professional service provider Other service providers, e.g. transporter, etc. [TICK APPLICABLE BOX] | | | |
| 8.7 | Total number of years the company/firm has been in business: | | | |

- I/we, the undersigned, who is / are duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the B-BBE status level of contributor indicated in paragraphs 1.4 and 6.1 of the foregoing certificate, qualifies the company/ firm for the preference(s) shown and I / we acknowledge that:
 - i) The information furnished is true and correct;
 - ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
 - iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 6.1, the contractor may be required to furnish documentary proof to the satisfaction of the purchaser that the claims are correct;
 - iv) If the B-BBEE status level of contributor has been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the purchaser may, in addition to any other remedy it may have
 - (a) disqualify the person from the bidding process;
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
 - (d) recommend that the bidder or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted by the National Treasury from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alteram partem (hear the other side) rule has been applied; and
 - (e) forward the matter for criminal prosecution.

| | SIGNATURE(S) OF BIDDERS(S) DATE: ADDRESS |
|--|--|
|--|--|

Note: Bidder to complete applicable Sworn Affidavit

8. SWORN AFFIDAVIT – B-BBEE EXEMPTED MICRO ENTERPRISE - GENERAL

I, the undersigned,

| Full name & Surname | |
|---------------------|--|
| Identity number | |

Hereby declare under oath as follows:

- 1. The contents of this statement are to the best of my knowledge a true reflection of the facts.
- 2. I am a Member / Director / Owner of the following enterprise and am duly authorised to act on its behalf:

| Enterprise Name: | |
|---|---|
| Trading Name (If | |
| Applicable): | |
| Registration Number: | |
| Enterprise Physical Address: | |
| Type of Entity (CC, (Pty) Ltd, Sole Prop etc.): | |
| Nature of Business: | |
| Definition of "Black People" | As per the Broad-Based Black Economic Empowerment Act 53 of 2003 as Amended by Act No 46 of 2013 "Black People" is a generic term which means Africans, Coloureds and Indians – |
| | (a) Who are citizens of the Republic of South Africa by birth or descent; or |
| | (b) Who became citizens of the Republic of South Africa by naturalization- |
| | i. Before 27 April 1994; or |
| | ii. On or after 27 April 1994 and who would have been entitled to acquire citizenship by naturalization prior to that date |

| 100 of the Amended Act No 53 of 2003 as The Enterprise is Series 100 of the Am BBEE Act No 53 of 2 The Enterprise is Amended Code Series section 9 (1) of B-BE Based on the Financiavailable on the late. | ler Oath that: | Amended Code ection 9 (1) of Beed as per issued under left of 2013, er information |
|--|--|--|
| Please Confirm on the applicable box. | ne below table the B-BBEE Level Contributor, b | y ticking the |
| 100% Black Owned | Level One (135% B-BBEE procurement recognition level) | |
| At least 51% Black Owned | Level Two (125% B-BBEE procurement recognition level) | |
| Less than 51% Black Owned | Level Four (100% B-BBEE procurement recognition level) | |
| take the prescribed of the Owners of the E | and the contents of this affidavit and I have no path and consider the oath binding on my consinterprise which I represent in this matter. Will be valid for a period of 12 months from the | cience and on |
| | Deponent Signature: | |
| | Date: | |
| Commissioner of Oaths Sign | ature & stamp | |

 ${\bf SWORN\ AFFIDAVIT-B-BBEE\ QUALIFYING\ SMALL\ ENTERPRISe-GENERAL}$

I, the undersigned,

| Full name & | |
|-----------------|--|
| Surname | |
| Identity number | |

Hereby declare under oath as follows:

- 1. The contents of this statement are to the best of my knowledge a true reflection of the facts.
- 2. I am a Member / Director / Owner of the following enterprise and am duly authorised to act on its behalf:

| Enterprise Name: | |
|---|---|
| Trading Name (If Applicable): | |
| Registration Number: | |
| Enterprise Physical Address: | |
| Type of Entity (CC, (Pty) Ltd, Sole Prop etc.): | |
| Nature of Business: | |
| Definition of "Black People" | As per the Broad-Based Black Economic Empowerment Act 53 of 2003 as Amended by Act No 46 of 2013 "Black People" is a generic term which means Africans, Coloureds and Indians – |
| | (a) Who are citizens of the Republic of South Africa by birth or descent; or |
| | (b) Who became citizens of the Republic of South Africa by naturalization- |
| | i. Before 27 April 1994; or |
| | ii. On or after 27 April 1994 and who would have been entitled to acquire citizenship by naturalization prior to that date |

| • T 10 A • T S0 B • T A | 00 of the Amended Codes ct No 53 of 2003 as Amer he Enterprise is eries 100 of the Amended BEE Act No 53 of 2003 as he Enterprise is mended Code Series 100 | th that: |
|--------------------------|---|--|
| a [,] R R | vailable on the latest final evenue was between .10,000,000.00 (Ten Millio | tements/Management Accounts and other information ncial year-end of, the annual Total on Rands) and R50,000,000.00 (Fifty Million Rands), e below the B-BBEE level contributor, by ticking the |
| | pplicable box. | |
| 100% Bl | ack Owned | Level One (135% B-BBEE procurement recognition level) |
| At Least | 51% black owned | Level Two (125% B-BBEE procurement recognition level) |
| ta | ake the prescribed oath a | e contents of this affidavit and I have no objection to nd consider the oath binding on my conscience and on se which I represent in this matter. |
| | he sworn affidavit will be ommissioner. | valid for a period of 12 months from the date signed by |
| Depone | nt Signature: | |
| | | Date: |
| Commiss | ioner of Oaths Signature | <u> </u> |

9. Bid Specifications

NB: Bidders Must Respond to the Specifications Detailed Below:

9.1 Scope of Work

Electrical wiring of the male ward, female ward, orthotics and physiotherapy blocks. Install conduits, run electrical cables inside the conduits, install isolators, trucking, plug, globes, fluorescent lights, fittings and all material and accessories to complete work as per SANS10142-1. Utilise existing conduits and plugs in the wards and rooms. Test the circuit, issue a Certificate of Compliance for male, female, orthotics and physiotherapy blocks and make sure the installation works safely and as intended without causing harm to users as per SANS 10142-1

Care should be taken as the project will be executed in an operational hospital, the wards and rooms will be occupied. Health and Safety guidelines to be observed at all times.

The duration for the project is **3 months.**

9.2 Female Ward: Electrical Installation

1. CONDUIT & CONDUIT BOXES

Internal wiring system including all fixing materials and accessories to complete the works to the standards specified elsewhere in this document.

- 1.1 PVC 20mm² SANS Conduit
- 1.2 PVC 25mm² SANS Conduit
- 1.3 PVC 32mm² SANS Conduit
- 1.4 25mm² SANS Galvanised Conduit
- 1.5 32mm² SANS Galvanised Conduit
- 1.6 Galvanised 50mm SANS Conduit.
- 1.7 1 & 2 way PVC conduit box with lid
- 1.8 3 & 4 way PVC conduit box with lid

2 CONDUCTORS

- 2.1 1.5mm² 600/1000V-PVC-insulated stranded copper conductor, red colour.
- 2.2 1.5mm² 600/1000V PVC-insulated stranded copper conductor black colour.
- 2.3 1.5mm² 600/1000V PVC-insulated stranded copper yellow/green colour.
- 2.4 2.5mm² 600/1000V-PVC-insulated stranded copper conductor, red colour.
- 2.5 2.5mm² 600/1000V PVC-insulated stranded copper conductor black colour.
- 2.6 2.5mm² 600/1000V PVC-insulated stranded copper yellow/green colour.
- 2.7 4mm² 600/1000V PVC-insulated stranded copper red colour.
- 2.8 4mm² 600/1000V PVC-insulated stranded copper black colour.

2.9 4mm² 600/1000V PVC-insulated stranded copper yellow/green colour.

3 CABLE TRUNKING, ETC.

- 3.1 PVC Two channel skirting (55x165x3000mm) all inclusive of covers, elbows, end caps, tees (Colour Grey) or equivalent
- 3.2 25x40 PVC Trunking
- 3.3 16x40 PVC Trunking
- 3.4 16x25PVC Trunking
- 3.5 16x16 PVC Trunking

4 SOCKET OUTLETS & LIGHT SWITCHES COMPLETE

- 4.1 16A Three pin normal switched socket outlet in power skirting
- 4.2 16A Three pin ded switched socket outlets in power skirting
- 4.3 16A 2 pin Socket outlet in power skirting.
- 4.4 16A switched single socket outlet in wall complete with galvanised box
- 4.5 16A switched socket outlet in wall (Double plug) complete with galvanised box
- 4.6 RJ45 fitted on power skirting
- 4.7 Telephone points fitted on power skirting
- 4.8 Single lever one way switch
- 4.9 Two lever one-way switch
- 4.10 One lever two-way switch
- 4.11 10A 250V-grade photocell light-control switch.
- 4.12 20A 230V-grade double-pole isolator switch for hand driers
- 4.13 60A 230V-grade double-pole indoor isolator switch

5 FITTINGS & EQUIPMENT

Luminaires:

- 5.1 Type A Open channel luminaire complete with 2 x20W LED vapour proof lamps and rotolock lamp holder complete with electronic control gear. Fitting to be supplied with photometric data.
- 5.2 Type B 22W IP65 Bulkhead Fitting with metal base and clear diffuser.
- 5.3 Type C 2 x 20W LED Open Channel Fluorescent light 1200mm.
- 5.4 1200mm LED 20watts tube with 20 000 life expectancy hours.

9.3 Bedford Male Ward: Electrical Installation

1 CONDUIT

Internal wiring system including all fixing materials and accessories to complete the works to the standards specified elsewhere in this document

- 1.1 20mm SANS Conduit
- 1.2 25mm SANS Conduit
- 1.3 32mm SANS Conduit

- 1.4 25mm SANS Galvanised Conduit
- 1.5 32mm SANS Galvanised Conduit
- 1.6 50mm SANS Conduit.
- 1.7 1 & 2 way
- 1.8 3 & 4 way

2 **CONDUCTORS:**

- 2.1 1.5mm² 600/1000V-PVC-insulated stranded copper conductor, red colour.
- 2.2 1.5mm² 600/1000V PVC-insulated stranded copper conductor black colour
- 2.3 1.5mm² 600/1000V PVC-insulated stranded copper yellow/green colour.
- 2.4 2.5mm² 600/1000V-PVC-insulated stranded copper conductor, red colour.
- 2.5 2.5mm² 600/1000V PVC-insulated stranded copper conductor black colour.
- 2.6 2.5mm² 600/1000V PVC-insulated stranded copper yellow/green colour.
- 2.7 4mm² 600/1000V PVC-insulated stranded copper red colour.
- 2.8 4mm² 600/1000V PVC-insulated stranded copper black colour.
- 2.9 4mm² 600/1000V PVC-insulated stranded copper yellow/green colour.
- 2.10 1.6mm² galvanized draw wire, drawn into wire way. M 100

3 CABLE TRUNKING, ETC.

- 3.1 PVC Two channel skirting (55x165x3000mm) all inclusive of covers, elbows, end caps, tees (Colour Grey) or equivalent
- 3.2 P9000 Trunking or equivalent

4 SOCKET OUTLETS & LIGHT SWITCHES COMPLETE

- 4.1 16A Three pin normal switched socket outlet in power skirting
- 4.2 16A Three pin ded switched socket outlets in power skirting
- 4.3 16A 2 pin Socket outlet in power skirting.
- 4.4 16A switched single socket outlet in wall complete with galvanised box
- 4.5 16A switched socket outlet in wall (Double plug) complete with galvanised box
- 4.6 RJ45 fitted on power skirting
- 4.7 Telephone points fitted on power skirting
- 4.8 Single lever one way switch
- 4.9 Two lever one-way switch
- 4.10 One lever two-way switch
- 4.11 10A 250V-grade photocell light-control switch.
- 4.12 20A 230V-grade double-pole isolator switch for hand driers

5 FITTINGS & EQUIPMENT

Luminaires:

- 5.1 Type A Open channel luminaire complete with 2 x20W LED vapour proof lamps and rotolock lamp holder complete with electronic control gear. Fitting to be supplied with photometric data.
- 5.2 Type B 22W IP65 Bulkhead Fitting with metal base and clear diffuser.

- 5.3 Type C 2 x 20W LED Open Channel Fluorescent light 1200mm.
- 5.4 1200mm LED 20watts tube with 20 000 life expectancy hours.

9.4 Bedford Orthotics Block Electrical Installation

1 CONDUIT

Internal wiring system including all fixing materials and accessories to complete the works to the standards specified elsewhere in this document

- **1**.1 20mm SANS Conduit
- 1.2 25mm SANS Conduit
- 1.3 32mm SANS Conduit
- 1.4 25mm SANS Galvanised Conduit
- 1.5 32mm SANS Galvanised Conduit
- 1.6 50mm SANS Conduit.
- 1.7 1 & 2 way
- 1.8 3 & 4 way
- 1.9 100 x 50 switch boxes (surface)
- 1.10 100 x 100 plugs boxes (surface)

2 CONDUCTORS:

- 2.1 1.5mm² 600/1000V-PVC-insulated stranded copper conductor, red colour.
- 2.2 1.5mm² 600/1000V PVC-insulated stranded copper conductor black colour.
- 2.3 1.5mm² 600/1000V PVC-insulated stranded copper yellow/green colour.
- 2.4 2.5mm² 600/1000V-PVC-insulated stranded copper conductor, red colour.
- 2.5 2.5mm² 600/1000V PVC-insulated stranded copper conductor black colour.
- 2.6 2.5mm² 600/1000V PVC-insulated stranded copper yellow/green colour.
- 2.7 4mm² 600/1000V PVC-insulated stranded copper red colour.
- 2.8 4mm² 600/1000V PVC-insulated stranded copper black colour.
- 2.9 4mm² 600/1000V PVC-insulated stranded copper yellow/green colour.
- 2.10 1.6mm² galvanized draw wire, drawn into wire way.

3 CABLE TRUNKING, ETC.

- 3.1 PVC Two channel skirting (55x165x3000mm) all inclusive of covers, elbows, end caps, tees (Colour Grey) or equivalent
- 3.2 P9000 Trunking or equivalent

4 SOCKET OUTLETS & LIGHT SWITCHES COMPLETE

- 4.1 16A Three pin normal switched socket outlet in power skirting
- 4.2 16A Three pin ded switched socket outlets in power skirting
- 4.3 16A 2 pin Socket outlet in power skirting.
- 4.4 16A switched single socket outlet in wall complete with galvanised box
- 4.5 16A switched socket outlet in wall (Double plug) complete with galvanised box
- 4.6 RJ45 fitted on power skirting

- 4.7 Telephone points fitted on power skirting
- 4.8 Single lever one way switch
- 4.90 10A 250V-grade photocell light-control switch.
- 4.10 60A 230V-grade double-pole isolator switch for Air-condition

4.12 FITTINGS & EQUIPMENT

Luminaires:

- 4.12.1 Type A Open channel luminaire complete with 2 x20W LED vapour proof lamps and rotolock lamp holder complete with electronic control gear. Fitting to be supplied with photometric data.
- 4.12.2 Type B 22W IP65 Bulkhead Fitting with metal base and clear diffuser.
- 4.12.3 Type C 2 x 20W LED Open Channel Fluorescent light 1200mm.
- 4.12.4 1200mm LED 20watts tube with 20 000 life expectancy hours.

9.5 Physiotherapy Block Electrical Installation

1 CONDUIT

Internal wiring system including all fixing materials and accessories to complete the works to the standards specified elsewhere in this document

- 1.1 20mm² SANS Conduit
- 1.2 25mm² SANS Conduit
- 1.3 32mm² SANS Conduit
- 1.4 25mm² SANS Galvanised Conduit
- 1.5 32mm² SANS Galvanised Conduit
- 1.6 50mm² SANS Conduit.
- 1.70 1 & 2 way
- 1.80 3 & 4 way

2 **CONDUCTORS**:

- 2.1 1.5mm² 600/1000V-PVC-insulated stranded copper conductor, red colour.
- 2.2 1.5mm² 600/1000V-PVC-insulated stranded copper conductor black colour
- 2.3 1.5mm² 600/1000V PVC-insulated stranded copper yellow/green colour.
- 2.4 2.5mm² 600/1000V-PVC-insulated stranded copper conductor, red colour.
- 2.5 2.5mm² 600/1000V PVC-insulated stranded copper conductor black colour.
- 2.6 2.5mm² 600/1000V PVC-insulated stranded copper yellow/green colour.
- 2.7 4mm² 600/1000V PVC-insulated stranded copper red colour.
- 2.8 4mm² 600/1000V PVC-insulated stranded copper black colour.
- 2.9 4mm² 600/1000V PVC-insulated stranded copper yellow/green colour.

3 CABLE TRUNKING, ETC.

- 3.1 PVC Two channel skirting (55x165x3000mm) all inclusive of covers, elbows, end caps, tees (Colour Grey) or equivalent
- 3.2 P9000 Trunking or equivalent

4 SOCKET OUTLETS & LIGHT SWITCHES COMPLETE

- 4.1 16A Three pin normal switched socket outlet in power skirting
- 4.2 16A Three pin ded switched socket outlets in power skirting
- 4.3 16A 2 pin Socket outlet in power skirting.
- 4.4 16A switched single socket outlet in wall complete with galvanised box
- 4.5 16A switched socket outlet in wall (Double plug) complete with galvanised box
- 4.6 RJ45 fitted on power skirting
- 4.7 Telephone points fitted on power skirting
- 4.8 Single lever one way switch
- 4.9 Two lever one-way switch
- 4.10 One lever two-way switch
- 4.11 10A 250V-grade photocell light-control switch.
- 4.12 20A 230V-grade double-pole isolator switch for hand driers

5 FITTINGS & EQUIPMENT Luminaires:

- 5.1 Type A Open channel luminaire complete with 2 x20W LED vapour proof lamps and rotolock lamp holder complete with electronic control gear. Fitting to be supplied with photometric data.
- 5.2 Type B 22W IP65 Bulkhead Fitting with metal base and clear diffuser.
- 5.3 Type C 2 x 20W LED Open Channel Fluorescent light 1200mm.
- 5.4 1200mm LED 20watts tube with 20 000 life expectancy hours.

10. BILL OF QUANTITIES

Unit Total Description Qty Rate Item **CONDUIT& CONDUIT BOXES** 1 Internal wiring system including all fixing materials and accessories to complete the works to the standards specified elsewhere in this document. 1.1 20mm SANS Conduit 1.1.1 Supply 40 М 1.1.2 Install М 40 25mm SANS Conduit 1.2 1.2.1 Supply 40 1.2.2 Install М 40 1.3 32mm SANS Conduit 1.3.1 20 Supply М 1.3.2 Install М 20 1.4 25mm SANS Galvanised Conduit 1.4.1 20 Supply М Install М 20 1.4.2 1.5 32mm SANS Galvanised Conduit 1.5.1 20 Supply М 1.5.2 Install М 20 1.6 50mm SANS Conduit. 1.6.1 Supply М 20 1.6.2 Install М 20 1.70 1 & 2 – way 1.7.1 10 Supply No 1.7.2 Install No 10 1.80 3 & 4 – way 1.8.1 Supply No 15 1.8.2 Install No 15

SCHEDULE 1 - FEMALE WARD : ELECTRICAL INSTALLATION BILL OF QUANTITIES

| | SUB-TOTAL CARRIED FORWARD | | | |
|-------|--|---|-----|--|
| 2 | TO PRICE SUMMARY CONDUCTORS | | | |
| | | | | |
| 2.1 | 1.5mm ² 600/1000V-PVC-insulated stranded copper conductor, red colour. | | | |
| 2.1.1 | Supply | М | 100 | |
| 2.1.2 | Install | М | 100 | |
| 2.2 | 1.5mm ² 600/1000V PVC-insulated stranded copper conductor black colour. | | | |
| 2.2.1 | Supply | М | 100 | |
| 2.2.2 | Install | M | 100 | |
| 2.3 | 1.5mm² 600/1000V PVC-insulated stranded copper yellow/green colour. | | | |
| 2.3.1 | Supply | М | 100 | |
| 2.3.2 | Install | M | 100 | |
| 2.4 | 2.5mm ² 600/1000V-PVC-insulated stranded copper conductor, red colour. | | | |
| 2.4.1 | Supply | М | 100 | |
| 2.4.2 | Install | М | 100 | |
| 2.5 | 2.5mm ² 600/1000V PVC-insulated stranded copper conductor black colour. | | | |
| 2.5.1 | Supply | М | 100 | |
| 2.5.2 | Install | М | 100 | |
| 2.6 | 2.5mm² 600/1000V PVC-insulated stranded copper yellow/green colour. | | | |
| 2.6.1 | Supply | М | 400 | |
| 2.6.2 | Install | M | 400 | |
| | | | | |

| 2.7 | 4mm ² 600/1000V PVC-insulated stranded copper red colour. | | | |
|-------|--|---|-----|--|
| 2.7.1 | Supply | M | 100 | |
| 2.7.2 | Install | M | 100 | |
| 2.8 | 4mm ² 600/1000V PVC-insulated stranded copper black colour. | | | |
| 2.8.1 | Supply | M | 100 | |
| 2.8.2 | Install | M | 100 | |
| 2.9 | 4mm ² 600/1000V PVC-insulated stranded copper yellow/green colour. | | | |
| 2.9.1 | Supply | М | 100 | |
| 2.9.2 | Install | M | 100 | |
| | SUB-TOTAL CARRIED FORWARD TO PRICE SUMMARY | | | |
| 3 | CABLE TRUNKING, ETC. | | | |
| 3.1 | PVC Two channel skirting (55x165x3000mm) all inclusive of covers, elbows, end caps, tees or equivalent (Colour - Grey) | | | |
| 3.1.1 | Supply | M | 25 | |
| 3.1.2 | Install | M | 25 | |
| 3.2 | 25x40 PVC Trunking | | | |
| 3.2.1 | Supply | M | 10 | |
| 3.2.2 | Install | M | 10 | |
| 3.3 | 16x40 PVC Trunking | | | |
| 3.3.1 | Supply | M | 10 | |
| 3.3.2 | Install | M | 10 | |
| 3.4 | 16x25PVC Trunking | | | |

| 3.4.1 | Supply | М | 10 | |
|-------|---|----|----|--|
| 3.4.2 | Install | М | 10 | |
| 3.4 | 16x16 PVC Trunking | | | |
| 3.4.1 | Supply | М | 10 | |
| 3.4.2 | Install | М | 10 | |
| | SUB-TOTAL CARRIED FORWARD | | | |
| 4 | SOCKET OUTLETS & LIGHT SWITCHES COMPLETE | | | |
| 4.1 | 16A Three pin normal switched socket outlet in power skirting | | | |
| 4.1.1 | Supply | No | 8 | |
| 4.1.2 | Install | No | 8 | |
| 4.2 | 16A Three pin ded switched socket outlets in power skirting | | | |
| 4.2.1 | Supply | No | 8 | |
| 4.2.2 | Install | No | 8 | |
| 4.3 | 16A 2 pin Socket outlet in power skirting. | | | |
| 4.3.1 | Supply | No | 8 | |
| 4.3.2 | Install | No | 8 | |
| 4.4 | 16A switched single socket outlet in wall complete with galvanised box | | | |
| 4.4.1 | Supply | No | 3 | |
| 4.4.2 | Install | No | 3 | |
| 4.5 | 16A switched socket outlet in wall (Double plug) complete with galvanised box | | | |
| 4.5.1 | Supply | No | 3 | |
| 4.5.2 | Install | No | 3 | |

| 4.6 | RJ45 fitted on power skirting | | | |
|--------|--|----|----|--|
| 4.6.1 | Supply | No | 4 | |
| 4.6.2 | Install | No | 4 | |
| | | | | |
| 4.7 | Telephone points fitted on power skirting | | | |
| 4.7.1 | Supply | No | 25 | |
| 4.7.2 | Install | No | 25 | |
| 4.8 | Single lever one way switch | | | |
| 4.8.1 | Supply | No | 40 | |
| 4.8.2 | Install | No | 40 | |
| 4.9 | Two lever one way switch | | | |
| 4.9.1 | Supply | No | 3 | |
| 4.9.2 | Install | No | 3 | |
| | | | | |
| 4.10 | One lever two way switch | | | |
| 4.10.1 | Supply | No | 3 | |
| 4.10.2 | Install | No | 3 | |
| 4.44 | 404 0507 | | | |
| 4.11 | 10A 250V-grade photocell light-control switch. | | | |
| 4.11.1 | Supply | No | 2 | |
| 4.11.2 | Install | No | 2 | |
| 4.12 | 20A 230V-grade double-pole isolator switch for hand driers | | | |
| 4.12.1 | Supply | No | 2 | |
| 4.12.2 | Install | No | 2 | |
| 4.13 | 60A 230V-grade double-pole isolator switch | | | |
| 4.13.1 | Supply | No | 4 | |
| 4.13.2 | Install | No | 4 | |
| | | | | |

| | SUB-TOTAL CARRIED FORWARD TO PRICE SUMMARY | | | |
|-----------|---|----|---------------|--|
| | | | | |
| 5 | FITTINGS & EQUIPMENT | | | |
| | Luminaires: | | | |
| 5.1 | Type A - Open channel luminaire complete with 2 x20W LED vapour proof lamps and rotolock lamp holder complete with electronic control gear. Fitting to be supplied with photometric data. | | | |
| 5.1.1 | Supply | No | 2 | |
| 5.1.2 | Install | No | 2 | |
| 5.2 | Type B - 22W IP65 Bulkhead Fitting with metal base and clear diffuser. | | | |
| 5.2.1 | Supply | No | 4 | |
| 5.2.2 | Install | No | 4 | |
| 5.3 | 1200mm LED 20watts tube with 20 000 life expectancy hours. | | | |
| 5.3.1 | Supply | No | 10 | |
| 5.3.2 | Install | No | 10 | |
| 5.5 | 1200mm LED 20watts tube with 20 000 life expectancy hours. | | | |
| 5.5.1 | Supply | No | 20 | |
| 5.5.2 | Install | No | 20 | |
| | SUB-TOTAL CARRIED FORWARD TO PRICE SUMMARY | | | |
| | | | | |
| FEMALE WA | RD PRICE SUMMARY | | TENDED | |
| SCHEDULE | DESCRIPTION-SUBTOTALS | | TENDER AMOUNT | |
| 1. | Conduit and Conduit Boxes | | AWOUNT | |
| 2. | Conductors | | | |
| 3. | Cable Trunking | | | |
| 4. | Socket Outlets & Light Switches Complete | | | |
| 5. | Fittings & Equipment | | | |

| | TOTAL (FEMALE WARD) CARRIED | | | | |
|--------|---|------|-----|------|-------|
| | FORWARD TO FINAL SÚMMARY | | | | |
| BEDEOR | D MALE WARD . ELECTRICAL INSTALL A | TION | | | |
| | D MALE WARD : ELECTRICAL INSTALLA QUANTITIES | IION | | | |
| Item | Description | Unit | Qty | Rate | Total |
| 1 | CONDUIT & CONDUIT BOXES | | | | |
| | Internal wiring system including all fixing materials and accessories to complete the works to the standards specified elsewhere in this document | | | | |
| 1.1 | 20mm SANS Conduit | | | | |
| 1.1.1 | Supply | M | 40 | | |
| 1.1.2 | Install | М | 40 | | |
| 1.2 | 25mm SANS Conduit | | | | |
| 1.2.1 | Supply | М | 40 | | |
| 1.2.2 | Install | М | 40 | | |
| 1.3 | 32mm SANS Conduit | | | | |
| 1.3.1 | Supply | М | 20 | | |
| 1.3.2 | Install | М | 20 | | |
| 1.4 | 25mm SANS Galvanised Conduit | | | | |
| 1.4.1 | Supply | М | 20 | | |
| 1.4.2 | Install | М | 20 | | |
| 1.5 | 32mm SANS Galvanised Conduit | | | | |
| 1.5.1 | Supply | М | 12 | | |
| 1.5.2 | Install | М | 12 | | |
| 1.6 | 50mm SANS Conduit. | | | | |
| 1.6.1 | Supply | М | 12 | | |
| 1.6.2 | Install | М | 12 | | |
| 1.7 | 1 & 2 – way | | | | |
| 1.7.1 | Supply | No | 20 | | |
| 1.7.2 | Install | No | 20 | | |

| 1.8 | 3 & 4 – way | | | |
|-------|---|----|-----|--|
| 1.8.1 | Supply | No | 15 | |
| 1.8.2 | Install | No | 15 | |
| | SUB-TOTAL CARRIED FORWARD TO PRICE SUMMARY | | | |
| 2 | CONDUCTORS: | | | |
| 2.1 | 1.5mm ² 600/1000V-PVC-insulated stranded copper conductor, red colour. | | | |
| 2.1.1 | Supply | М | 100 | |
| 2.1.2 | Install | М | 100 | |
| 2.2 | 1.5mm 600/1000V PVC-insulated stranded copper conductor black colour. | | | |
| 2.2.1 | Supply | М | 100 | |
| 2.2.2 | Install | М | 100 | |
| 2.3 | 1.5mm 600/1000V PVC-insulated stranded copper yellow/green colour. | | | |
| 2.3.1 | Supply | М | 100 | |
| 2.3.2 | Install | М | 100 | |
| 2.4 | 2.5mm ² 600/1000V-PVC-insulated stranded copper conductor, red colour. | | | |
| 2.4.1 | Supply | М | 500 | |
| 2.4.2 | Install | М | 500 | |
| 2.5 | 2.5mm 600/1000V PVC-insulated stranded copper conductor black colour. | | | |
| 2.5.1 | Supply | М | 500 | |
| 2.5.2 | Install | М | 500 | |
| 2.6 | 2.5mm 600/1000V PVC-insulated stranded copper yellow/green colour. | | | |
| 2.6.1 | Supply | M | 100 | |
| 2.6.2 | Install | М | 100 | |

| 2.7 | 4mm 600/1000V PVC-insulated stranded copper red colour. | | | |
|-------|--|---|-----|--|
| 2.7.1 | Supply | М | 100 | |
| 2.7.2 | Install | М | 100 | |
| 2.8 | 4mm 600/1000V PVC-insulated stranded copper black colour. | | | |
| 2.8.1 | Supply | М | 100 | |
| 2.8.2 | Install | М | 100 | |
| 2.9 | 4mm 600/1000V PVC-insulated stranded copper yellow/green colour. | | | |
| 2.9.1 | Supply | М | 100 | |
| 2.9.2 | Install | M | 100 | |
| 2.10 | 1.6mm² galvanized draw wire, drawn into wire way. | M | 100 | |
| | SUB-TOTAL CARRIED FORWARD TO PRICE SUMMARY | | | |
| 3 | CABLE TRUNKING, ETC. | | | |
| 3.1 | PVC Two channel skirting (55x165x3000mm) all inclusive of covers, elbows, end caps, tees or equivalent (Colour - Grey) | | | |
| 3.1.1 | Supply | М | 10 | |
| 3.1.2 | Install | М | 10 | |
| | | | | |
| 3.2 | P9000 Trunking or equivalent | | | |
| 3.2.1 | Supply | М | 10 | |
| 3.2.2 | Install | M | 10 | |
| | SUB-TOTAL CARRIED FORWARD TO PRICE SUMMARY | | | |
| 4 | SOCKET OUTLETS & LIGHT SWITCHES COMPLETE | | | |
| | | | | |

| 4.1 | 16A Three pin normal switched socket outlet in power skirting | | | |
|-------|---|----|---|--|
| 4.1.1 | Supply | No | 8 | |
| 4.1.2 | Install | No | 8 | |
| 4.2 | 16A Three pin ded switched socket outlets in power skirting | | | |
| 4.2.1 | Supply | No | 8 | |
| 4.2.2 | Install | No | 8 | |
| 4.3 | 16A 2 pin Socket outlet in power skirting. | | | |
| 4.3.1 | Supply | No | 8 | |
| 4.3.2 | Install | No | 8 | |
| 4.4 | 16A switched single socket outlet in wall complete with galvanised box | | | |
| 4.4.1 | Supply | No | 6 | |
| 4.4.2 | Install | No | 6 | |
| 4.5 | 16A switched socket outlet in wall (Double plug) complete with galvanised box | | | |
| 4.5.1 | Supply | No | 3 | |
| 4.5.2 | Install | No | 3 | |
| 4.6 | RJ45 fitted on power skirting | | | |
| 4.6.1 | Supply | No | 8 | |
| 4.6.2 | Install | No | 8 | |
| 4.7 | Telephone points fitted on power skirting | | | |
| 4.7.1 | Supply | No | 8 | |
| 4.7.2 | Install | No | 8 | |
| 4.8 | Single lever one way switch | | | |
| 4.8.1 | Supply | No | 3 | |
| 4.8.2 | Install | No | 3 | |
| 4.9 | Two lever one way switch | | | |
| 4.9.1 | Supply | No | 3 | |
| 4.9.2 | Install | No | 3 | |

| 4.10 | One lever two way switch | | | |
|--------|---|----|----|--|
| 4.10.1 | Supply | No | 4 | |
| 4.10.2 | Install | No | 4 | |
| | | | | |
| 4.11 | 10A 250V-grade photocell light-control switch. | | | |
| 4.11.1 | Supply | No | 2 | |
| 4.11.2 | Install | No | 2 | |
| 4.12 | 20A 230V-grade double-pole isolator switch for hand driers | | | |
| 4.12.1 | Supply | No | 2 | |
| 4.12.2 | Install | No | 2 | |
| | SUB-TOTAL CARRIED FORWARD TO PRICE SUMMARY | | | |
| 5 | FITTINGS & EQUIPMENT | | | |
| | Luminaires: | | | |
| | | | | |
| 5.1 | Type A - Open channel luminaire complete with 2 x20W LED vapour proof lamps and rotolock lamp holder complete with electronic control gear. Fitting to be supplied with photometric data. | | | |
| 5.1.1 | Supply | No | 2 | |
| 5.1.2 | Install | No | 2 | |
| | | | | |
| 5.2 | Type B - 22W IP65 Bulkhead Fitting with metal base and clear diffuser. | | | |
| 5.2.1 | Supply | No | 4 | |
| 5.2.2 | Install | No | 4 | |
| 5.3 | Type C - 2 x 20W LED Open Channel | | | |
| 3.3 | Fluorescent light 1200mm | | | |
| 5.3.1 | Supply | No | 10 | |
| 5.3.2 | Install | No | 10 | |
| 5.4 | 1200mm LED 20watts tube with 20 000 life expectancy hours. | | | |
| 5.4.1 | Supply | No | 20 | |
| 5.4.2 | Install | No | 20 | |

| | SUB-TOTAL CARRIED FORWARD TO PRICE SUMMARY | | | | |
|-----------|--|-------|------------|---------------|-------|
| | | | | | |
| MALE WARD | PRICE SUMMARY | | | | |
| | | | TENDER | | |
| SCHEDULE | DESCRIPTION | | AMOUNT | | |
| 1 | Conduit & Conduit Boxes | | | | |
| 2 | Conductors | | | | |
| 3 | Cable Trunking | | | | |
| 4 | Socket Outlets & Light Switches Complete | | | | |
| 5 | Fittings & Equipment | | | | |
| | TOTAL (MALE WARD) CARRIED FORWARD TO FINAL SUMMARY | | | | |
| ORTHOTICS | WARD : ELECTRICAL INSTALLATION | BILLO | F QUANTITI | ES | |
| 3 | The state of the s | | | _ | |
| Item | Description | Unit | Qty | Rate | Total |
| - Itom | Description | Onic | - Ciy | Rate | Total |
| 1 | CONDUIT | | | | |
| | Internal wiring system including all fixing materials and accessories to complete the works to the standards specified elsewhere in this document | | | | |
| 1.1 | 20mm ² SANS Conduit | | | | |
| 1.1.1 | Supply | M | 40 | | |
| 1.1.2 | Install | M | 40 | | |
| | | | | | |
| 1.2 | 25mm² SANS Conduit | | | | |
| 1.2.1 | Supply | M | 40 | | |
| 1.2.2 | Install | M | 40 | | |
| 1.3 | 32mm ² SANS Conduit | | | | |
| 1.3.1 | Supply | M | 20 | | |
| 1.3.2 | Install | ''' | 20 | | |
| 1.3.2 | IIIStali | | 20 | | |
| 1.4 | 25mm ² SANS Galvanised Conduit | | | | |
| 1.4.1 | Supply | M | 12 | | |
| 1.4.2 | Install | М | 12 | | |
| | | | | | |
| | | • | • | • | • |

| 1.5.1 Supply M 12 1.5.2 Install M 12 1.6 50mm² SANS Conduit. Install M 16 1.6.1 Supply M 16 1.6.2 Install M 16 1.70 1 & 2 - way Install No 8 1.7.1 Supply No 8 1.7.2 Install No 8 1.80 3 & 4 - way No 5 1.8.1 Supply No 5 1.8.2 Install No 5 1.9 100 x 50 switch boxes (surface) No 5 1.9.1 Supply No 5 1.10 100 x 100 plugs boxes (surface) No 5 1.10.1 Supply No 5 | |
|--|--|
| 1.5.2 Install M 12 1.6 50mm² SANS Conduit. 16 1.6.1 Supply M 16 1.6.2 Install M 16 1.70 1 & 2 - way No 8 1.7.1 Supply No 8 1.7.2 Install No 8 1.80 3 & 4 - way No 5 1.8.1 Supply No 5 1.8.2 Install No 5 1.9 100 x 50 switch boxes (surface) No 5 1.9.1 Supply No 5 1.9.2 Install No 5 1.10 100 x 100 plugs boxes (surface) 1.10 | |
| 1.6 | |
| 1.6.1 Supply M 16 1.6.2 Install M 16 1.70 1 & 2 - way 1.7.1 Supply No 8 1.7.2 Install No 8 1.80 3 & 4 - way 1.8.1 Supply No 5 1.8.2 Install No 5 1.9 100 x 50 switch boxes (surface) 1.9.1 Supply No 5 1.9.2 Install No 5 | |
| 1.6.1 Supply M 16 1.6.2 Install M 16 1.70 1 & 2 - way 1.7.1 Supply No 8 1.7.2 Install No 8 1.80 3 & 4 - way 1.8.1 Supply No 5 1.8.2 Install No 5 1.9 100 x 50 switch boxes (surface) 1.9.1 Supply No 5 1.9.2 Install No 5 | |
| 1.6.2 Install M 16 1.70 1 & 2 - way No 8 1.7.1 Supply No 8 1.7.2 Install No 8 1.80 3 & 4 - way No 5 1.8.1 Supply No 5 1.8.2 Install No 5 1.9 100 x 50 switch boxes (surface) No 5 1.9.1 Supply No 5 1.9.2 Install No 5 1.10 100 x 100 plugs boxes (surface) No 5 | |
| 1.70 | |
| 1.7.1 Supply No 8 1.7.2 Install No 8 1.80 3 & 4 - way No 5 1.8.1 Supply No 5 1.8.2 Install No 5 1.9 100 x 50 switch boxes (surface) No 5 1.9.1 Supply No 5 1.9.2 Install No 5 1.10 100 x 100 plugs boxes (surface) No 5 | |
| 1.7.1 Supply No 8 1.7.2 Install No 8 1.80 3 & 4 - way No 5 1.8.1 Supply No 5 1.8.2 Install No 5 1.9 100 x 50 switch boxes (surface) No 5 1.9.1 Supply No 5 1.9.2 Install No 5 1.10 100 x 100 plugs boxes (surface) No 5 | |
| 1.7.2 Install No 8 1.80 3 & 4 - way 1.8.1 Supply No 5 1.8.2 Install No 5 1.9 100 x 50 switch boxes (surface) 1.9.1 Supply No 5 1.9.2 Install No 5 | |
| 1.80 3 & 4 - way 1.8.1 Supply No 5 1.8.2 Install No 5 1.9 100 x 50 switch boxes (surface) No 5 1.9.1 Supply No 5 1.9.2 Install No 5 1.10 100 x 100 plugs boxes (surface) Install Install | |
| 1.8.1 Supply No 5 1.8.2 Install No 5 1.9 100 x 50 switch boxes (surface) No 5 1.9.1 Supply No 5 1.9.2 Install No 5 1.10 100 x 100 plugs boxes (surface) Install No 5 | |
| 1.8.1 Supply No 5 1.8.2 Install No 5 1.9 100 x 50 switch boxes (surface) No 5 1.9.1 Supply No 5 1.9.2 Install No 5 1.10 100 x 100 plugs boxes (surface) Install No 5 | |
| 1.8.2 Install No 5 1.9 100 x 50 switch boxes (surface) 1.9.1 Supply No 5 1.9.2 Install No 5 1.10 100 x 100 plugs boxes (surface) | |
| 1.9 100 x 50 switch boxes (surface) 1.9.1 Supply No 5 1.9.2 Install No 5 1.10 100 x 100 plugs boxes (surface) | |
| 1.9.1 Supply No 5 1.9.2 Install No 5 1.10 100 x 100 plugs boxes (surface) | |
| 1.9.1 Supply No 5 1.9.2 Install No 5 1.10 100 x 100 plugs boxes (surface) | |
| 1.9.2 Install No 5 1.10 100 x 100 plugs boxes (surface) | |
| 1.10 100 x 100 plugs boxes (surface) | |
| | |
| | |
| 1.10.1 Supply No 5 | |
| | |
| 1.10.2 Install No 5 | |
| | |
| SUB-TOTAL CARRIED FORWARD TO PRICE SUMMARY | |
| TO FRICE SUMMART | |
| 2 CONDUCTORS: | |
| | |
| 2.1 1.5mm² 600/1000V-PVC-insulated | |
| stranded copper conductor, red | |
| colour. | |
| 2.1.2 Install M 100 | |
| 1100 100 | |
| 2.2 1.5mm 600/1000V PVC-insulated | |
| stranded copper conductor black | |
| colour. | |
| 2.2.1 Supply M 100 | |
| 2.2.2 Install M 100 | |
| | |
| 2.3 1.5mm² 600/1000V PVC-insulated stranded copper yellow/green colour. | |

| 2.3.1 | Supply | М | 100 | |
|-------|---|---|-----|--|
| 2.3.2 | Install | М | 100 | |
| | | | | |
| 2.4 | 2.5mm ² 600/1000V-PVC-insulated stranded copper conductor, red colour. | | | |
| 2.4.1 | Supply | M | 100 | |
| 2.4.2 | Install | M | 100 | |
| 2.5 | 2.5mm 600/1000V PVC-insulated stranded copper conductor black colour. | | | |
| 2.5.1 | Supply | M | 100 | |
| 2.5.2 | Install | M | 100 | |
| 2.6 | 2.5mm ² 600/1000V PVC-insulated stranded copper yellow/green colour. | | | |
| 2.6.1 | Supply | M | 100 | |
| 2.6.2 | Install | M | 100 | |
| 2.7 | 4mm ² 600/1000V PVC-insulated stranded copper red colour. | | | |
| 2.7.1 | Supply | М | 100 | |
| 2.7.2 | Install | M | 100 | |
| 2.8 | 4mm ² 600/1000V PVC-insulated stranded copper black colour. | | | |
| 2.8.1 | Supply | М | 100 | |
| 2.8.2 | Install | M | 100 | |
| 2.9 | 4mm ² 600/1000V PVC-insulated stranded copper yellow/green colour. | | | |
| 2.9.1 | Supply | M | 100 | |
| 2.9.2 | Install | M | 100 | |
| 2.10 | 1.6mm² galvanized draw wire, drawn into wire way. | M | 100 | |
| | SUB-TOTAL CARRIED FORWARD TO PRICE SUMMARY | | | |
| 3 | CABLE TRUNKING, ETC. | | | |
| | | | | |

| 3.1 | PVC Two channel skirting (55x165x3000mm) all inclusive of covers, elbows, end caps, tees or equivalent (Colour - Grey) | | | |
|-------|--|----|---|--|
| 3.1.1 | Supply | M | 5 | |
| 3.1.2 | Install | М | 5 | |
| 3.2 | P9000 Trunking or equivalent | | | |
| 3.2.1 | Supply | М | 5 | |
| 3.2.2 | Install | M | 5 | |
| | | | | |
| | SUB-TOTAL CARRIED FORWARD TO PRICE SUMMARY | | | |
| 4 | SOCKET OUTLETS & LIGHT SWITCHES COMPLETE | | | |
| | | | | |
| 4.1 | 16A Three pin normal switched socket outlet in power skirting | | | |
| 4.1.1 | Supply | No | 5 | |
| 4.1.2 | Install | No | 5 | |
| 4.2 | 16A Three pin ded switched socket outlets in power skirting | | | |
| 4.2.1 | Supply | No | 5 | |
| 4.2.2 | Install | No | 5 | |
| 4.3 | 16A 2 pin Socket outlet in power skirting . | | | |
| 4.3.1 | Supply | No | 2 | |
| 4.3.2 | Install | No | 2 | |
| 4.4 | 16A switched single socket outlet in wall complete with galvanised box | | | |
| 4.4.1 | Supply | No | 5 | |
| 4.4.2 | Install | No | 5 | |
| 4.5 | 16A switched socket outlet in wall (Double plug) complete with galvanised box | | | |
| 4.5.1 | Supply | No | 5 | |
| 4.5.2 | Install | No | 5 | |

| 4.6 | RJ45 fitted on power skirting | | | |
|--------|--|----|----|--|
| 4.6.1 | Supply | No | 5 | |
| 4.6.2 | Install | No | 5 | |
| | | | | |
| 4.7 | Telephone points fitted on power skirting | | | |
| 4.7.1 | Supply | no | 5 | |
| 4.7.2 | Install | No | 5 | |
| 4.8 | Single lever one way switch | | | |
| 4.8.1 | Supply | No | 4 | |
| 4.8.2 | Install | No | 4 | |
| 4.90 | 10A 250V-grade photocell light- control switch. Supply | | | |
| 4.9.1 | Install | No | 1 | |
| 4.9.2 | IIIstaii | | | |
| 1.10 | COA COOV and a double male | No | 1 | |
| 4.10 | 60A 230V-grade double-pole isolator switch for Air-condition | | | |
| 4.10.1 | Supply | | | |
| 4.10.2 | Install | No | 3 | |
| | SUB-TOTAL CARRIED FORWARD TO PRICE SUMMARY | | | |
| 5 | FITTINGS & EQUIPMENT | | | |
| | | | | |
| 5.1 | Luminaires: | | | |
| 5.1.1 | Type B - 22W IP65 Bulkhead Fitting with metal base and clear diffuser. | | | |
| 5.1.2 | Supply | No | 4 | |
| | Install | No | 4 | |
| 5.2 | Type C - 2 x 20W LED Open Channel Fluorescent light 1200mm | | | |
| 5.2.1 | Supply | | | |
| 5.2.2 | Install | No | 15 | |
| | | No | 15 | |
| 4.14 | 1200mm LED 20watts tube with 20 000 life expectancy hours. | | | |
| 4.14.1 | Supply | No | 30 | |

| 4.14.2 | Install | No | 30 | | |
|-------------|--|------|--------|------|--|
| | CUD TOTAL CARRIED FORWARD | | | | |
| | SUB-TOTAL CARRIED FORWARD TO PRICE SUMMARY | | | | |
| ORTHOTICS | DDICE CUMMARY | ı | _ | 1 | |
| ORTHOTICS | PRICE SUMMARY | | TENDER | | |
| SCHEDUL F | DESCRIPTION | | AMOUNT | | |
| CONLEGEL | DEGOKII FION | | AMOUNT | | |
| 1 | Conduit & Conduit Boxes | | | | |
| 2 | Conductors | | | | |
| 3 | Cable Trunking | | | | |
| 4 | Socket Outlets & Light Switches Complete | | | | |
| 5 | Fittings & Equipment | | | | |
| | | | | | |
| | TOTAL (OTHORTICS) CARRIED FORWARD TO FINAL SUMMARY | | | | |
| | | | | | |
| | | | | | |
| PHYSIOTHERA | PY BLOCK | | | | |
| | | | | | |
| Item | Description | Unit | Qty | Rate | |
| | | | | | |
| 1 | CONDUIT | | | | |
| | Internal wiring system including all fixing materials and accessories to | | | | |
| | complete the works to the | | | | |
| | standards specified elsewhere in this document | | | | |
| | tills document | | | | |
| 4.4 | | | | | |
| 1.1 | 20mm SANS Conduit | | 00 | | |
| 1.1.1 | Supply | М | 20 | | |
| 1.1.2 | Install | М | 20 | | |
| 1.2 | 25mm SANS Conduit | | | | |
| 1.2.1 | Supply | M | 20 | | |
| 1.2.2 | Install | M | 20 | | |
| - | | | | | |
| 1.3 | 32mm SANS Conduit | | | | |
| 1.3.1 | Supply | M | 12 | | |
| | | Ī | I | | |
| 1.3.2 | Install | М | 12 | | |

| 1.4 | 25mm SANS Galvanised Conduit | | | |
|-------|--|-----|-----|--|
| 1.4.1 | Supply | M | 16 | |
| 1.4.2 | Install | М | 16 | |
| 1.5 | 32mm SANS Galvanised Conduit | | | |
| 1.5.1 | | М | 12 | |
| | Supply | M | 12 | |
| 1.5.2 | Install | IVI | 12 | |
| 1.6 | 50mm SANS Conduit. | | | |
| 1.6.1 | Supply | М | 12 | |
| 1.6.2 | Install | М | 12 | |
| | | | | |
| 1.70 | 1 & 2 - way | | | |
| 1.7.1 | Supply | No | 10 | |
| 1.7.2 | Install | No | 10 | |
| 1.80 | 3 & 4 - way | | | |
| 1.8.1 | Supply | No | 10 | |
| 1.8.2 | Install | No | 10 | |
| | | | | |
| | SUB-TOTAL CARRIED FORWARD TO PRICE SUMMARY | | | |
| 2 | CONDUCTORS: | | | |
| | | | | |
| 2.1 | 1.5mm ² 600/1000V-PVC-insulated stranded copper conductor, red colour. | | | |
| 2.1.1 | Supply | М | 100 | |
| 2.1.2 | Install | М | 100 | |
| | | | | |
| 2.2 | 1.5mm ² 600/1000V PVC-insulated stranded copper conductor black colour. | | | |
| 2.2.1 | Supply | М | 100 | |
| 2.2.2 | Install | M | 100 | |
| | | | | |
| 2.3 | 1.5mm ² 600/1000V PVC-insulated stranded copper yellow/green colour. | | | |
| 2.3.1 | Supply | М | 100 | |
| 2.3.2 | Install | M | 100 | |
| | | | | |
| 2.4 | 2.5mm ² 600/1000V-PVC-insulated stranded copper conductor, red colour. | | | |

| 2.4.1 | Supply | М | 100 | |
|--------|---|-----|-----|--|
| 2.4.2 | Install | М | 100 | |
| | | | | |
| 2.5 | 2.5mm ² 600/1000V PVC-insulated stranded copper conductor black colour. | | | |
| 2.5.1 | Supply | М | 100 | |
| 2.5.2 | Install | M | 100 | |
| 2.6 | 2.5mm ² 600/1000V PVC-insulated stranded copper yellow/green colour. | | | |
| 2.6.1 | Supply | M | 100 | |
| 2.6.2 | Install | M | 100 | |
| 2.7 | 4mm ² 600/1000V PVC-insulated stranded copper red colour. | | | |
| 2.7.1 | Supply | M | 100 | |
| 2.7.2 | Install | M | 100 | |
| 2.8 | 4mm ² 600/1000V PVC-insulated stranded copper black colour. | | | |
| 2.8.1 | Supply | М | 100 | |
| 2.8.2 | Install | М | 100 | |
| 2.9 | 4mm ² 600/1000V PVC-insulated stranded copper yellow/green colour. | | | |
| 2.9.1 | Supply | M | 100 | |
| 2.9.2 | Install | M | 100 | |
| | SUB-TOTAL CARRIED FORWARD TO PRICE SUMMARY | | | |
| 3 | CABLE TRUNKING, ETC. | | | |
| 3.1 | PVC Two channel skirting (55x165x3000mm)all inclusive of covers, elbows, end caps, tees or equivalent (Colour - Grey) | | | |
| 3.1.1 | Supply | М | 5 | |
| 3.1.2 | Install | M | 5 | |
| 3.2 | P9000 Trunking or equivalent | | | |
| 3.2.1 | | М | 5 | |
| J.L. I | Supply | 141 | 3 | |

| 3.2.2 | Install | М | 5 | |
|-------|---|----|---|--|
| | | | | |
| | SUB-TOTAL CARRIED FORWARD TO PRICE SUMMARY | | | |
| | | | | |
| 4 | SOCKET OUTLETS & LIGHT SWITCHES COMPLETE | | | |
| 4.1 | 16A Three pin normal switched | | | |
| | socket outlet in power skirting | | | |
| 4.1.1 | Supply | No | 4 | |
| 4.1.2 | Install | No | 4 | |
| 4.2 | 16A Three pin ded switched socket | | | |
| | outlets in power skirting | | | |
| 4.2.1 | Supply | No | 4 | |
| 4.2.2 | Install | No | 4 | |
| | | | | |
| 4.3 | 16A 2 pin Socket outlet in power skirting. | | | |
| 4.3.1 | Supply | No | 4 | |
| 4.3.2 | Install | No | 4 | |
| 4.4 | 16A switched single socket outlet in wall complete with galvanised box | | | |
| 4.4.1 | Supply | No | 3 | |
| 4.4.2 | Install | No | 3 | |
| | | | | |
| 4.5 | 16A switched socket outlet in wall (Double plug) complete with galvanised box | | | |
| 4.5.1 | Supply | No | 4 | |
| 4.5.2 | Install | No | 4 | |
| 4.0 | D 145 fitted on newspapelisting | | | |
| 4.6 | RJ45 fitted on power skirting | Na | 4 | |
| 4.6.2 | Supply | No | 4 | |
| 4.0.2 | Install | No | 4 | |
| 4.7 | Telephone points fitted on power skirting | | | |
| 4.7.1 | Supply | No | 4 | |
| 4.7.2 | Install | No | 4 | |
| | | | | |

| 4.8 | Single lever one way switch | | | |
|--------|---|-----|----|--|
| 4.8.1 | Supply | No | 3 | |
| 4.8.2 | Install | No | 3 | |
| 4.90 | Two lever one way switch | | | |
| 4.9.1 | Supply | No | 3 | |
| 4.9.2 | Install | No | 3 | |
| 4.10 | One lever two way switch | | | |
| 4.10.1 | Supply | pcs | 2 | |
| 4.10.2 | Install | pcs | 2 | |
| 4.11 | 10A 250V-grade photocell light-control switch. | | | |
| 4.11.1 | Supply | No | 2 | |
| 4.11.2 | Install | No | 2 | |
| 4.12 | 20A 230V-grade double-pole isolator switch for hand driers | | | |
| 4.12.1 | Supply | No | 2 | |
| 4.12.2 | Install | No | 2 | |
| | SUB-TOTAL CARRIED FORWARD TO PRICE SUMMARY | | | |
| 5 | FITTINGS & EQUIPMENT | | | |
| | Luminaires: | | | |
| 5.1 | Type A - Open channel luminaire complete with 2 x20W LED vapour proof lamps and rotolock lamp holder complete with electronic control gear. Fitting to be supplied with photometric data. | | | |
| 5.1.1 | Supply | No | 2 | |
| 5.1.2 | Install | No | 2 | |
| 5.2 | Type B - 22W IP65 Bulkhead Fitting with metal base and clear diffuser. | | | |
| 5.2.1 | Supply | No | 6 | |
| 5.2.2 | Install | No | 6 | |
| 5.3 | Type C - 1200mm LED 2 x 20watts tube with 20 000 life expectancy hours. | | | |
| 5.3.1 | Supply | No | 10 | |

| 5.3.2 | Install | No | 10 | |
|------------|--|----|--------|--|
| 5.4 | 1200mm LED 20watts tube with 20 000 life expectancy hours. | | | |
| 5.4.1 | Supply | No | 20 | |
| 5.4.2 | Install | No | 20 | |
| | SUB-TOTAL CARRIED FORWARD TO PRICE SUMMARY | | | |
| PHYSIOTHEI | RAPY PRICE SUMMARY | | | |
| | | | TENDER | |
| SCHEDULE | DESCRIPTION | | AMOUNT | |
| 1 | Conduit & Conduit Boxes | | | |
| 2 | Conductors | | | |
| 3 | Cable Trunking | | | |
| 4 | Socket Outlets & Light Switches Complete | | | |
| 5 | Fittings & Equipment | | | |
| | TOTAL(PHYSIOTHERAPY) CARRIED FORWARD TO FINAL SUMMARY | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

11. FINAL SUMMARY

| NAME OF BIDDER | BID NUMBER SCMU3-P22/23-0625-NMA |
|------------------------------------|----------------------------------|
| CLOSING DATE: 13 December 2022 | CLOSING TIME: 11:00 |
| OFFER TO BE VALID FOR 60 DAYS FROM | THE CLOSING DATE OF BID |

BID PRICE IN RSA CURRENCY (ALL APPLICABLE TAXES INCLUDED)

| SCHEDULE | DESCRIPTION | AMOUNT |
|----------|--|---------|
| | | |
| 1 | BEDFORD FEMALE WARD PRICE SUMMARY | |
| 2 | BEDFORD MALE WARD PRICE SUMMARY | |
| 3 | BEDFORD ORTHOTICS PRICE SUMMARY | |
| 4 | PHYSIOTHERAPY PRICE SUMMARY | |
| 5 | HEALTH AND SAFETY | |
| 6 | PRELIMINARIES & GENERAL | |
| 6.1 | MONITORING OF WORKS | |
| 6.2 | HEALTH & SAFETY | |
| 7 | CONTINGENCY SUM | R20 000 |
| | SUB- TOTAL | |
| | VAT AMOUNT (15%) | |
| | TOTAL AMOUNT VAT INCLUSIVE (carried to the offer and acceptance below) | |

12. Form of Offer and Acceptance

The Eastern Cape Department of Health, identified in the acceptance signature block, has solicited offers to enter a contract for procurement services of: electrical wiring and upgrade at bedford hospital in the following blocks: male and female ward, orthotics, physiotherapy for a duration of 3 months.

The bidder, identified in the offer signature block, has examined the documents listed in the Bid document, and by submitting this offer has accepted the conditions of bid.

By the representative of the bidder, deemed to be duly authorized, signing this part of this form of offer and acceptance, the bidder offers to perform all of the obligations and liabilities of the Service Provider under the Contract including compliance with all its terms and conditions according to their true intent and meaning for remuneration to be determined in accordance with the conditions of Contract identified in the Contract Data

| (Rands in words) | | (in figures) |
|--|--|---|
| | screpancy between the am | nount in figures and the amount ir |
| offer and acceptance and re the bidder becomes the part | turning one copy of this d y named as the Service Pro | the acceptance part of this form of ocument to the bidder, whereupor ovider in the conditions of Contract |
| | HE FOLLOWING LEGAL ENT | TERPRISE: (cross out block which is |
| | HE FOLLOWING LEGAL ENT | ΓERPRISE: (cross out block which is |
| THIS OFFER IS MADE BY THE | HE FOLLOWING LEGAL ENT | ΓERPRISE: (cross out block which is |
| THIS OFFER IS MADE BY THE not applicable) Company or | HE FOLLOWING LEGAL ENT | TERPRISE: (cross out block which is |
| THIS OFFER IS MADE BY THE not applicable) Company or Signature | HE FOLLOWING LEGAL ENT | TERPRISE: (cross out block which is |
| THIS OFFER IS MADE BY The not applicable) Company or Signature Name | HE FOLLOWING LEGAL ENT | ΓERPRISE: (cross out block which is |

By signing this part of this form of offer and acceptance, the Employer identified below accepts the bidder's offer. In consideration thereof, the Employer shall pay the Service Provider the amount due in accordance with the conditions of Contract identified in the Contract Data. Acceptance of the bidder's offer shall form an agreement between the Employer and the bidder upon the terms and conditions contained in this agreement and in the Contract that is the subject of this agreement.